Packed Bed System (PBS)

Self-contained Air Purification System Removes Odors and Protects Equipment Investment



Applications	Protecting electronics, Wastewater odor control, and Environmental emission control			
Airflow Range	200 CFM (339.8 CMH) – 5,600 CFM (9,514.4 CMH) *Review the model selection table for more information			
Configuration	Horizontal airflow			
Construction Material	Municipal Standard: Fiberglass reinforced plastic (FRP) Other options: Stainless Steel, Aluminum			
Particulate Filtration	Odor Control Applications: Mist and Grease Filter Other Applications: 2", 30% MERV 8 Prefilter, 6", 95% MERV 13 Final Filter *Other filter sizes and options available upon request.			
Blower Configuration	DRAWTHRU: Standard and allows the blower to work in clean air, thus making it last longer and require lower maintenance BLOWTHRU: An option for customers who want less noise from the blower *Redundant blowers and other special options available			
Customizable	Multiple sizes and configurations available, reference model selection table for details.			
	Add-on accessories like sound enclosures are available.			
	*PureAir specializes in customization. Contact us with your air filtration needs and we will work with you to find the best solution.			

Media Bed Indicator

This unit is equipped with a metal Media Bed Indicator to detect remaining media life.



PureAIR

FILTRATION

BENEFITS:

- Low maintenance with bulk loading and unloading options
- Multiple adsorbent media beds available. For more information on adsorbent media, please see the media brochure.
- Horizontal footprint for spaces with limited height, but high airflow
- Side access door with quick release, snap, or positive pressure latches for quick and easy access to media and filters.
- All PBS systems are UL listed and free from reasonable foreseeable fire risk.
- The system is the complete package designed for the removal of all organic and inorganic vapors or gases.
- Designed to ensure no bypass of contaminants and provides a minimum of 99.9% removal efficiency of constituent contaminants.



MODEL SELECTION TABLE


PBS Model PBS-	INDUSTRIAL APPLICATION MAX AIR FLOW CFM (CMH)	MUNICIPAL APPLICATION MAX AIR FLOW CFM (CMH)	MOTOR Range HP (kW)	MEDIA VOLUME FT ³ (M ³)*	SHIPPING Weight Empty LBS (KG)	OPERATING WEIGHT LBS (KG)*
202	200 - 400 (340-680)	200 - 300 (340-510)	0.5 (0.4) - 1.5 (1.1)	16 (0.45)	670 (304)	1210 (549)
302	300 - 600 (510-1020)	300 - 450 (510-760)	0.5 (0.4) - 1.5 (1.1)	22 (0.62)	710 (322)	1450 (658)
402	400 - 800 (680-1360)	400 - 600 (680-1020)	0.5 (0.4) - 2 (1.5)	28 (0.79)	740 (336)	1680 (762)
403	600 - 1200 (1020-2040)	600 - 900 (1020-1530)	0.75 (0.6) - 2 (1.5)	42 (1.19)	820 (372)	2220 (1007)
404	800 - 1600 (1360-2720)	800 - 1200 (1360-2040)	1 (0.7) - 3 (2.2)	56 (1.59)	1100 (499)	2970 (1347)
504	1000 - 2000 (1700-3400)	1000 - 1500 (1700-2550)	2 (1.5) - 5 (3.7)	68 (1.93)	1500 (680)	3770 (1710)
604	1200 - 2400 (2040-4080)	1200 - 1800 (2040-3060)	3 (2.2) - 5 (3.7)	80 (2.27)	2100 (953)	4770 (2164)
605	1500 - 3000 (2550-5100)	1500 - 2250 (2550-3820)	3 (2.2) - 7.5 (5.5)	100 (2.83)	2700 (1225)	6040 (2740)
606	1800 - 3600 (3060-6120)	1800 - 2700 (3060-4590)	5 (3.7) - 10 (7.4)	120 (3.40)	3000 (1361)	7000 (3175)
706	2100 - 4200 (3570-7140)	2100 - 3150 (3570-5350)	7.5 (5.5) - 15 (11.0)	138 (3.91)	3500 (1588)	8100 (3674)
707	2450 - 4900 (4160-8320)	2450 - 3675 (4160-6240)	7.5 (5.5) - 15 (11.0)	161 (4.56)	4100 (1860)	9470 (4296)
807	2800 - 5600 (4760-9500)	2800 - 4200 (4760-7140)	10 (7.4) - 20 (14.7)	182 (5.15)	4800 (2177)	10870 (4931)


MEDIA BED INDICATOR:



This system features a metal Media Bed Indicator that is positioned inside the system at an angle, against the direction of airflow, and detects the media expiration level.

- Dark, corroded coloration on the indicator shows where media has expired. Once half the indicator has been corroded, contact the factory to replace the media to ensure the proper functioning of the system.
- Interested in instant notification of media life? Ask about the Electronic Media Bed Monitor (EBMv2) that can that be added as a system upgrade.





+1 678.935.1431

Toll Free: 866.543.7479 www.PureAirFiltration.com 6050 Peachtree Pkwy, Suite 240-187, Atlanta, GA 30092