

SAFETY DATA SHEET

MSDS EU Template Version: 2.1 Date: August 1, 2022 Document Rev 2.1.0

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878, and United States Regulation 29 CFR 1910

1	SECTION 1: IDENTIFICATION OF THE SUI	BSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier	
	Product Name	SulphasorbFe
	Product Code	SFe
1.2	Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Uses Advised Against	Gas-phase air filtration Do not use for applications other than those specified.
1.3	Details of the supplier of the safety data sheet Company Identification	Pure Air Filtration, LLC 6050 Peachtree Parkway Suite 240-187 Atlanta, GA 30092 USA PureAir Filtration BV Tijnmuiden 79 1046 AK Amsterdam The Netherlands
	Telephone Fax E-mail (competent person)	+1 (678) 935-1431 ; Office Hours are Monday through Friday, 8:00AM to 5:00PM Eastern Standard Time +1 (678) 935-0648 ajameson@pureairfiltration.com
1.4	Emergency telephone number Emergency Phone No.	CHEMTREC (international): +1 703-741-5970 (24 hour line) The line is available 24 hours; in the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.
	Language(s) spoken:	English
2 2.1	SECTION 2: HAZARDS IDENTIFICATION Classification of the substance or mixture GHS-US and Regulation (EC) No. 1272/2008 (CLP) and most important hazards	Eye Irrit. 2; H319+H320 Skin Irrit. 2; H315 Resp Irrit; H335 Xi
		Mixture itself in solid form causes little irritation, but if crushed or handled extensively, dust may evolve which can cause irritation to eyes and respiratory tract. Adding water can cause irritation to skin. The following medical conditions may be aggravated by exposure to dust of product: asthma, chronic lung disease, and skin rashes.
2.2	Label elements Product Name Contains:	According to Regulation (EC) No. 1272/2008 (CLP) SulphasorbFe Micronized Iron Oxide



Hazard Pictogram(s)-	
Signal Word(s)	Warning
Hazard Statement(s)	Eye Irrit. 2; H319+H320 Skin Irrit. 2; H315 Resp Irrit; H335
Precautionary Statement(s)	 P235 + P410 - Keep cool. Protect from sunlight P260 - Do not breathe dust P264 - Wash face, hands and any exposed skin thoroughly after handling P273: Avoid release to the environment. P280: Wear protective gloves and eye/face protection. P303+P361+P353: IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a doctor. P362: Take off contaminated clothing and wash before reuse
Supplemental information	Not applicable.
Other hazards	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

*NOTE: The Hazard Classification listed in this section refers to the chemical at a pure concentration. It has been determined that the remaining ingredient(s) of this component/product are NOT CLASSIFIED AS HAZARDOUS CHEMICALS due to their physical and/or chemical nature and/or concentration in solution, in accordance with California and Federal OSHA regulations (Federal Register 29CFR 1910.1200), and The Chemicals (Hazard Information and Packaging for Supply) Regulations (European Community).

3 SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2

2.3

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Ferric Oxide (Iron Oxide)	85%	1309-37-1- 2151682	231-153-3	NA	Eye Irrit. 2; H319+H320 Skin Irrit. 2; H315 Resp Irrit; H335

4 SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Use personal protective equipment as required. Wear suitable protective clothing and gloves. Avoid contact with skin, eyes or clothing. Do not breathe dust. Do not ingest. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. If swallowed, then seek immediate medical assistance.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a doctor and/or poison control center.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Gently wash with plenty of soap and water. Call a





Eye Contact

Ingestion

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Notes to a physician:

doctor and/or poison control center.

IF IN EYES: Flush eyes with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. After rinsing affected eyes must be seen by an ophthalmologist. Call doctor and/or poison control center. IF SWALLOWED: Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Immediately call a doctor and poison control center. Can cause skin and eye irritation.

Treat symptomatically. IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist.

*Note: For full text of H phrases see section 16

5 SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media Suitable Extinguishing media

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

Extinguish with carbon dioxide, dry chemical, foam or water spray. Alcohol resistant foams (ATC type) are preferred. Do not use water jet. Direct water jet may spread the fire. May form explosive dust/air mixtures. May decompose if heated. Not flammable but will support combustion.



Oxidizing

Advice for fire-fighters

May intensify fire; some substances alone are oxidizers, while the mixture itself is not classified as an oxidizer. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide.

Fight fire with normal precautions from a reasonable distance. Fire fighters should Wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Do not allow runoff from firefighting to enter drains or water courses. All contaminated wastewater must be processed in an industrial or municipal wastewater treatment plant.

Ensure operatives are trained to minimize exposures. Ensure suitable personal

protection during removal of spillages. Use personal protective equipment as required. See Section: 8. Wear suitable protective clothing, gloves and eye/face protection. Avoid all contact. Avoid dust formation. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. In case of leakage, eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, open

Clean up spill with measures mentioned above. No extra measures necessary.

May intensify fire; some ingredients are oxidizers, even though mixture as a whole is not considered oxidizer. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. In case of fire use water spray or fog, alcohol

Do not mix with combustible material. Provided it is safe to do so, isolate the

source of the leak. Dry sweeping is not recommended. If necessary, light water spray will reduce dust for dry sweeping, but over-wetting may produce very slippery walking surfaces. Transfer to a container for disposal. Use vacuum equipment for collecting spilt materials, where practicable. Dispose of this material

Sweep up spilled substance and remove to safe place. Avoid dust generation.

Ensure operatives are trained to minimize exposures. Use personal protective equipment as required. See Section: 8. Wear suitable protective clothing, gloves and eye/face protection. Avoid all contact. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Do not eat, drink or smoke

Do not store near combustible materials. Do not mix with combustible material. May intensify fire; some ingredients are oxidizers, even though mixture as a whole is not considered oxidizer. Take precautionary measures against static discharge.

Keep container tightly closed. Store in a cool/low-temperature, well-ventilated (dry)

when using this product. Wash hands before breaks and after work.

place away from heat and ignition sources. Control dust formation.

Protect from moisture. Keep away from strong oxidizing substances.

Should be stored inside, away from rainwater, etc.

Keep only in the original container/package in a cool well-ventilated place.

flames and other ignition sources. No smoking.

resistant foam, dry chemical or carbon dioxide.

and its container as hazardous waste.

Damp down to avoid dust generation.

See Also Section: 8, 13

See Section: 1.2

Collect spillage. Inform authorities if spill cannot be contained.

6 SECTION 6: ACCIDENTAL RELEASE

6.1 Personal precautions, protective equipment and emergency procedures

> Small spillages: Oxidizing

- 6.2 Environmental precautions
- 6.3 Methods and material for containment and cleaning up

Small spillages:

6.4 Reference to other sections

7 SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Oxidizing

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Incompatible materials

7.3 Specific end use(s)

8 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Related to Substance- Aluminum Oxide
- 8.1.2 Related to Substance- Potassium Hydroxide
- 8.1.3 Occupational Exposure Limits

OSHA PEL (TWA) (15 mg/m3 total dust; 5 mg/m3 respirable fraction) ACGIH Ceiling (2mg/m3)

Ireland HSA recommends the following limits for aluminum oxide dusts: 10 mg/m³ (8hr TWA) total inhalable dust; 4 mg/m³ (8hr TWA) total respirable dust

WWW.PUREAIRFILTRATION.COM ATLANTA | AMSTERDAM | HONOLULU



	ust, or Particulates, Substance Not Otherwise Specified: Austria MAK: 10 mg/m ³ , STEL 2x30 min, Inhalable dust 5 mg/m ³ , TWA, Inhalable dust Belgium: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ TWA, Respirable Canada (Saskatchewan): 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ TWA, Respirable China: 8 mg/m ³ , TWA 10 mg/m ³ , STEL France: 10 mg/m ³ , TWA Inhalable dust 5 mg/m ³ , TWA Respirable dust Germany - TRGS 900: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , Respirable fraction Hong Kong: 10 mg/m ³ , TWA Ireland: 10 mg/m ³ , TWA, Total inhalable 4 mg/m ³ , TWA, Respirable Italy: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable Japan: 3 mg/m ³ TWA, Respirable Product code: CI4 Product name: NORITÒ CI4 Revision date: 29-Jul-2016 Malaysia: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable The Netherlands: 3.5 mg/m ³ , Inhalable Spain: 10 mg/m ³ , NGV, Total inhalable 5 mg/m ³ , NGV, Respirable United Kingdom - WEL: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable United Kingdom - WEL: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable Us ACGIH - PNOS: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable US ACGIH - PNOS: 10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable
Biological limit value	None Known

8.1.1 PNECs and DNELs

8.1.0

- 8.2 Exposure controls
- **8.2.1** Appropriate engineering controls

Ensure operatives are trained to minimize exposures. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Good hygiene practices and housekeeping measures. A washing facility/water for eye and skin cleaning purposes should be present. Preferably use engineering controls to keep exposures below the OEL or DNEL.


RDAM | HONOLULU

8.2.2 Individual protection measures, such as personal protective equipment (PPE).

Use personal protective equipment as required. Wear suitable protective clothing, gloves, and eye/face protection. Keep good industrial hygiene. Do not breathe dust. Avoid all contact. Wash hands before breaks and after work. Keep work clothes separately. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke at the workplace.

Not applicable.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.





9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties Physical state Solid cylindrical Color Brown Odor No odor Melting point/freezing point Not applicable. Boiling point or initial boiling point and boiling range Not applicable. Flammability Not flammable Lower and upper explosion limit Not explosive Flash point Not applicable. Auto-ignition temperature Not applicable. **Decomposition Temperature** Not applicable. pН Not applicable. Kinematic viscosity Not applicable. Solubility Partly soluble in water. Partition coefficient: n-octanol/water (log value) Not applicable. Vapor pressure Not applicable. Density and/or relative density ~ 40 lbs/ft3 , 640 kg/m3 Relative vapor density Not applicable. Particle characteristics Median Particle Diameter 4mm 9.2
 - Other information Oxidizing properties

The final product is considered to have no oxidizing properties and it should be classified as "not oxidizing" and "Not Division 5.1" following UN Handbook. A test according to UN Handbook 34.4.1 and GHS was performed and confirms this statement.

10 SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- **10.3** Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition product(s)

Stable under normal conditions Stable under normal conditions May occur with strong acids or oxidizing agents Protect from moisture and damage. Strong acids. Strong reducing and oxidizing agents. Hazardous combustion products: Potassium Oxide, Manganese, oxides of manganese

11 SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity - Ingestion

Acute toxicity - Inhalation

Acute toxicity - Skin Contact

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard

- 11.2 Information on other hazards
- 11.2.1 Endocrine disrupting properties
- **11.2.2** Other information

12 SECTION 12: ECOLOGICAL INFORMATION

Mixture: Based on available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LD50 > 2000 mg/kg bw/day Mixture: Based on available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LC50 > 20 ml/l Mixture: Based on available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LD50 > 2000 mg/kg bw/day Mixture: Skin Irr 2 Mixture: Eye. Dam. 1; H318: Causes serious eye damage.

Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met. Mixture: Based on available data, the classification criteria are not met.

No substances identified as having endocrine-disrupting properties. No data available

RFILTRATION.COM RDAM | HONOLULU



12.1	Toxicity		No data, but mixture is only partia	ally (very small pe	rcentage) soluble in water
12.2	Persistence and degradability		No experimental data available. No data for the mixture as a who	6	
12.2		Potassium permanganate	Testing can be waived because th		n inorganic compound
12.3	Bioaccumulative potential	1. 3.	No data for the mixture as a who		
		Potassium permanganate	Testing can be waived because the	ne substance is ar	n inorganic compound
12.4	Mobility in soil		No data for the mixture as a whole		
12.5	Results of PBT and vPvB asse		Testing can be waived because th The substances in the mixture do		
12.5		Someric	REACH, annex XIII.	Thou meet the PD	TVF VB chiena according to
12.6	Endocrine disrupting propertie	S	No substances identified as having	ng endocrine-disru	upting properties.
12.7	Other adverse effects		None Known	-	
	ECTION 13: DISPOSAL	<u>CONSIDERATIONS</u>			
13.1	Waste treatment methods		Dispose of wastes in an approve	d waste disposal l	facility, according to local laws
	*Note that this is for the unuse	d product.			
	Used product is a nonhazardo	•			
	More information on this can b				
14	SECTION 14: TRANSPORT	<u>ORT INFORMATION</u>			
			ADR/RID IMDG	IATA/ICAO	US DOT 49 CFR 172.101
14.1	UN number or ID number		Not Applicable Not Applicable	Not Applicable	Not Applicable
14.2	UN proper shipping name				
14.3	Transport hazard class(es)				
14.4	Packing group				
14.5	Environmental hazards				
14.6	Special precautions for user				
14.7	Maritime transport in bulk acco	ording to			
	IMO \instruments				
14.8	Additional Information				
15	SECTION 15: REGULA	TORY INFORMATION	J		
15.1	Safety, health and environmer		-		
	specific for the substance or m	0 0			
15.1.1	EU regulations				
	Authorizations and/or Restricti	ons On Use	Not restricted for the intended us	e(s) of the produc	t.
	CoRAP Substance Evaluation		Substance identified for evaluation		
			concluded that no additional infor	mation is required	
	Listed on EEC Inventory EINE	CS			
15.1.2	National regulations				
	Germany		Possible Water Hazard, unclassif	fied	
	United States		National Inventory TSCA- All con	nponents are liste	d under the TSCA 8 b inventory
			as active or exempted. No comp	onents are listed	under TSCA 12 b
			RA Section 304 CERCLA		
			Potassium Permanganate reporta	able quantity 100	lbs (45.4 kg)
			RA Section 311/312 Hazards		
	USA State Regulations		Air Act Section 112b; Cal. Proposit	tion 65- no known	cancer-causing ingredients
		,			

15.2 Chemical Safety Assessment A chemical safety assessment is not required under REACH.

16 **SECTION 16: OTHER INFORMATION**



Full list of H Statements:

Eye Irrit. 2; H319+H320 Skin Irrit. 2; H315 Resp Irrit; H335

The following sections contain revisions or new statements: Updated substance / mixture classification. Updated version and date. New SDS Regulation 2020/878 format, all sections have been updated to include new information. Please review SDS with care.

References: Existing Safety Data Sheet (SDS) Substance with harmonized classification and labelling according to Regulation (EC) No. 1272/2008, Annex VI. Existing ECHA registration for Potassium permanganate (CAS No. 7722-64-7)

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

LEGEND

LEGEND	
ADR 1272/2008	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CLP Regulation (EC) No on classification, labelling and packaging of substances and mixtures
CoRAP	Community Rolling Action Plan (CoRAP)
DNEL	Derived no effect level
EC50	Half maximal effective concentration
ΙΑΤΑ	IATA: International Air Transport Association
ICAO	ICAO: International Civil Aviation Organization
IMDG	IMDG: International Maritime Dangerous Goods
LC50	Lethal concentration at which 50% of the population is killed
LD50	Lethal dose at which 50% of the population is killed
LTEL	Long term exposure limit
OEL	Occupational exposure limits
PBT	PBT: Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorization and Restriction of Chemicals
RID	RID: Regulations concerning the international railway transport of dangerous goods STEL Short term exposure limit
vPvB	vPvB: very Persistent and very Bioaccumulatve

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Pure Air Filtration gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Pure Air Filtration accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assume



